

**PUBLIC SERVICE COMMISSION OF THE DISTRICT OF COLUMBIA  
1325 G STREET, N.W., SUITE 800  
WASHINGTON, D.C. 20005**

**NOTICE**

**October 25, 2017**

**RM37-2017-01, NATURAL GAS QUALITY OF SERVICE STANDARDS AND RELIABILITY PERFORMANCE; and**

**FORMAL CASE NO. 977, IN THE MATTER OF THE INVESTIGATION INTO THE QUALITY OF SERVICE OF WASHINGTON GAS LIGHT COMPANY, DISTRICT OF COLUMBIA DIVISION, IN THE DISTRICT OF COLUMBIA**

On August 11, 2017, the Public Service Commission of the District of Columbia (“Commission”) issued a Notice of Proposed Rulemaking in *Formal Case No. 977*, proposing to amend Title 15 of the District of Columbia Municipal Regulations, Chapter 37, Natural Gas Quality of Service Standards and Reliability Performance rules.<sup>1</sup> Washington Gas Light Company (“WGL” or “Company”) submitted its Comments on September 11, 2017, requesting a Technical Conference to discuss, among other things, issues relating to the threshold requirement for Reportable Service Outages and Limited Service Outages.<sup>2</sup> WGL argues that the proposed rulemaking dramatically changes a number of provisions making compliance burdensome on the Company. The Retail Energy Supply Association (“RESA”) submitted Reply Comments on September 25, 2017, also requesting a technical conference to discuss its concerns regarding the Billing Error Notification provision.<sup>3</sup>

By this Notice, the Commission invites WGL, RESA, and the Office of the People’s Counsel to a Technical Conference concerning this matter, scheduled for October 31, 2017, at 10:00 a.m. in the Commission’s Phylcia F. Bowman Conference room.

---

<sup>1</sup> *Formal Case No. 977, In the Matter of the Investigation into the Quality of Service of Washington Gas Light Company, District of Columbia Division, in the District of Columbia*, (“*Formal Case No. 977*”), Notice of Proposed Rulemaking, rel. August 11, 2017.

<sup>2</sup> *Formal Case No. 977*, Washington Gas Light Company’s Comments on the Notice of Proposed Rulemaking, filed September 11, 2017.

<sup>3</sup> *Formal Case No. 977*, Retail Energy Supply Association’s Reply Comments, filed September 26, 2017.